

Inspire Development Centers
Price Bid Specification Type A-2-Gas 34 Passenger
****** Vehicle to meet WA State OSPI Specifications ******

Item

Specification

Bid

Seating Capacity	34-Passenger, with Maximum seat spacing in first four seats	Capacity _____	
Engine	Gas, 3.5L Minimum	Engine Mfg _____ C.I. or Liters _____	
Transmission	Automatic, manufacturer's standard compatible with H.P. and torque rating of engine bid	Mfg _____ Model _____	
Auxiliary Automatic Transmission Cooler	10,000 lb Hayden or equal	Mfg _____ Lbs Rating _____	
Axle - Front	Manufacturer's recommendation.	Mfg _____ Capacity _____ Ind. Suspen? _____	
Axle - Rear	Manufacturer's recommendation.	Mfg _____ Capacity _____	
Axle Ratio	Must comply with power and gradeability formula as noted in Washington State School Bus Specifications Manual	Ratio _____	
Alternator	145 amp minimum. Air conditioned. Manufacturer recommended capacity.	Mfg _____ Max amps output	
Battery(ies)	535 CCA 12v minimum	Volts _____ CCA _____	
Brakes	Hydraulic, drum or disc. Refer to WA State School Bus Specifications Manual	Disc Front ____ Rear ____ Drum Front ____ Rear ____ Size Front ____ Rear ____	
Fuel Tank	25 gallon minimum	Capacity _____	
Tires	6 first quality, radial ply	Mfg _____ Size _____ Load _____ Range _____	
Toolbox	Exterior, Manufacturer standard, with lock	Size (cu ft) _____	

Wheels	6 compatible with tire size	Size _____ Rim Width _____	
Front Heater	Manufacturers Standard	BTU _____	
Rear Heater	40,000 BTU Minimum	BTU _____	
PA System	No PA System Required		
Step Tread	N/A Studded or pebbled top tread covering	Mfg _____	
Line Setting Ticket	Legible copy of Mfg Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of bus	Check if as specified _____	
Owner's/Operator's Handbook	One copy of the chassis, engine transmission, and body repair manuals, including wiring diagram for all components, will be furnished at time of delivery	Check if as specified _____	
Repair Manuals	A complete set of chassis, engine transmission, and body repair manuals, including wiring diagram for all components, will be furnished at time of delivery	Check if as specified _____	
Service and Cleaning	Cleaning and service provided by Vendor prior to delivery will include: - Chassis Lubrication Check fluid levels; verify all are at recommended full levels - Cooling system protected at -20 deg f - Interior and exterior will be clean (including glass) - All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery - All components and accessories will be installed and operational at time of delivery	Check if as specified _____	
Inspection	Certified Inspection before delivery		
Floor Plan	8 1/2" x 11" Floor Plan provided with Quotation, detailing seat spacing	Check if as specified _____	
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified _____	
Requested Options			
Back-Up Alarm	To meet state specificaitons	dba _____	

Radio	AM/FM/CD with Auxiliary Input	Mfg _____ Model _____	
Bus Identification	"Inspire Development Centers" to be labeled on sides of bus, Bus Identification Number to be labeled on rear left license plate space. (Bus ID# to be provided at time of order)	Lettering Size _____	
Color	Exterior white roof, Interior floor gray, Gray seats		
Steering Wheel	Tilt		
Seating System	Lap belts for all passengers, LATCH Restraint system installed on first 6 passenger seats		
Seat Spacing	Maximum seat spacing for the first 4 seats (to fit Infant/Rear Facing Child Safety Restraints). All other seat to permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5"		
Safety Restraints	Safeguard Standard Star, Qty 34	Check if as specified _____	
Student Protection System	Electronic system to insure driver post-trip inspection of passenger compartment	Mfg _____ Model _____	
Toolbox	Interior, manufacturer standard, mounted	Size (cu ft) _____	
Video Camera System - Installed	Pro-Vision Video System - 1080p HD Hybrid Base Kit with 3 Mini Dome Cameras (256gb). Includes: AHD Mini Dome cameras (3), Hybrid HD DVR, 256GB SDXC Card, Lockable cage, 10m AHD AV Cables (3), 5m AHD AV Cable, Enhanced Event Marker button, GPS Antenna, Software & Guides		
Air Conditioning - Front	Manufacturers Standard	BTU _____	
Air Conditioning - Rear	Rear bulkhead mounted AC - Separate compressor, top-mounted condenser Minimum BTU Rating 50,000	Mfg _____ Model _____ BTU _____	
Warning Light Monitor	16-light monitoring system, LED		
Crossing gate	Attached to front bumper	Mfg _____	

Windows	Tinted, including entry door		
Dust Abatement	Dust abatement package - Moderate (additional sealant applied to the perimeter of plywood floor)		
Mirrors	Heated, Remote	Mfg _____	
Upholstery	Fire blocking upholstery		
Rear Door	Rear Vandalock (installed)		
Storage	Undercarriage storage, locking	Capacity _____	
Running Board	Driver door only		
Doors, Service	Power Operated, Electric		
Battery Cut Off	Master Battery cut off switch, located under driver's seat	Mfg _____	
	Lighting		
Lights	LED; Includes clearance lights, stop lights-7", Tail lights, turn signals, eight-light system, and dome-light system		
Backup Lights	All required backup lights to be LED	Size _____	
Stop Paddle	LED		
Strobe Light	Exterior roof mounted white strobe light	Mfg _____ Model _____	

N/A